



TC-5298



TEST REPORT

Report No : TUV(I)/20332/22-23/0032304687 A
 Date : 13 Apr 2023
 ULR-TC529823000006682F

TUV INDIA PRIVATE LIMITED
 TUV India House,
 Survey No: 42, 3/1 & 3/2,
 Sus, Tal. Mulshi,
 Dist. Pune - 411 021
 CIN : U74140MH1989PTC052930
 Tel. : 020 - 67900000 / 01
 Toll free :1800-209-0902
 Email : pune@tuv-nord.com
 Website : www.tuv-nord.com/in

Name & Address of Customer : Hutaib Poultry Products
 C-13 Oshia Mata indl estate, kalher Bhiwandi, Thane,
 Pin Code: 421302

Reg No. : 20332/22-23
 CA No. : 0032304687
 Date of sample receipt : 22 Mar 2023
 Date(s) of analysis : 24 Mar 2023 - 13 Apr 2023
 Sample Drawn by : Customer

SINo	Test Name	Results	Unit	Test Method
Sample Name : PASTEURISED LIQUID EGGS		CA No : 0032304687		
Batch No.: HPA/A1/03/23		Product Category : Food & Agriculture		
Discipline : Biological & Chemical		Product		
Accredited Tests				
Microbiology Tests				
1	Detection of E.coli	Absent	per ml	IS: 5887 (Part I) :- 1976 RA : 2018
2	Detection of S. aureus	Absent	per 25 ml	IS: 5887 (Part II) : 1976 RA : 2018
3	Detection of Salmonella	Absent	per 25 ml	IS: 5887 (Part III) /Sec I :2020
4	Yeast & Mould Count	68	cfu/ml	IS: 5403:1999 RA : 2018

Verified by

Shaine

Shaine Premkumar
 Manager - Microbiology

Authorized by

Rajage

Atulkumar Rajage
 Manager – Instrumentation Department



TEST REPORT


Report No : TUV(I)/20332/22-23/0032304687 A
Date : 13 Apr 2023

Name & Address of Customer : Hutaib Poultry Products
C-13 Oshia Mata indl estate, kalher Bhiwandi, Thane,
Pin Code: 421302

Reg No. : 20332/22-23
CA No. : 0032304687
Date of sample receipt : 22 Mar 2023
Date(s) of analysis : 24 Mar 2023 - 13 Apr 2023
Sample Drawn by : Customer

SINo	Test Name	Results	Unit	Test Method
Sample Name : PASTEURISED LIQUID EGGS		CA No : 0032304687		
Batch No.: HPA/A1/03/23		Product Category : Food & Agriculture Product		
Discipline : Biological & Chemical				
Non Accredited Tests				
Food Chemical				
1	Bulk Density	987	g/ml	Based on FSSAI Lab Manual 10.0
2	Protein	12.49	g/100g	TUV/02/SOP/002
3	pH	7.40	-	TUV/02/SOP/036
Heavy Metals				
4	Calcium	57.20	mg/100g	TUV/03/SOP/004 Based on AOAC 984.27 & 999.10, 21st Edition
5	Iron	2.24	mg/100g	TUV/03/SOP/004 Based on AOAC 984.27 & 999.10, 21 st Edition

Note: This is amended & reissued test report with respect to pH Recheck.
This Amended Test Report supersedes our earlier Test Report No. TUV(I)/20332/22-23/0032304687 dated 03 Apr 2023.

Verified by

Shaine Premkumar
Manager - Microbiology



Authorized by

Atulkumar Rajage
Manager - Instrumentation Department